X

Difenoconazole PC Code: 128847

Dietary Exposure Assessment

DP#: 367383



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

OPP OFFICIAL RECORD HEALTH EFFECTS DIVISION SCIENTIFIC DATA REVIEWS EPA SERIES 361 OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

MEMORANDUM

Date:

22-Sept-2009

Subject:

Difenoconazole. Acute and Chronic Aggregate Dietary Exposure and Risk

Assessments for the Section 3 Registration Request for Bulb Vegetables, Brassica Leafy Vegetables, Cucurbit Vegetables, Citrus Fruit, Grape, Pistachios, and Tree Nut.

PC Code: 128847	DP Barcode: 367383
Decision No.: 403560	Registration No.: None
Petition Nos.: 8F7482	Regulatory Action: Section 3
Assessment Type: Single Chemical, Dietary	Registration Case No.: NA
TXR No.: None	CAS No.: 119446-68-3
MRID No.: None	40 CFR: 180.475

Eschy Daiss

Reviewer: Thurston G. Morton, Chemist

Risk Assessment Branch IV/Health Éffects Division (RABIV/HED; 7509P)

Through: Nancy Dodd, Chemist Many Dodle

P. Yvonne Barnes, Chemist P. Woon Ba

Dietary Exposure Science Advisory Council (DESAC)

And

Susan V. Hummel, Senior Chemist

for RABIV/HED (7509P)

To:

Yan Donovan, Risk Assessor

RABIV/HED (7509P)

And

Tony Kish

Fungicide Branch/RD (7505P)

3 Williams

Dietary Exposure Assessment

DP#: 367383

Executive Summary

Aggregate (food + water) acute and chronic dietary risk assessments were conducted using the Dietary Exposure Evaluation Model - Food Consumption Intake Database (DEEM-FCIDTM, ver. 2.03. This model uses food consumption data from the United States Department of Agriculture's (USDA's) Continuing Surveys of Food Intakes by Individuals (CSFII; 1994-1996 and 1998). The analyses were performed to support a Section 3 request for new uses of the fungicide difenoconazole [1-[2-[2-chloro-4-(4-chlorophenoxy)phenyl]-4-methyl-1,3-dioxolan-2-ylmethyl]-1*H*-1,2,4-triazole] in/on bulb vegetables, brassica leafy vegetables, cucurbit vegetables, citrus fruit, grapes, and tree nuts.

The unrefined acute analysis assumed tolerance-level residues, 100% crop treated (CT), and the available empirical or DEEMTM (ver. 7.81) default processing factors. The resulting acute food exposure estimates were less than HED's level of concern (<100% of the acute population-adjusted dose (aPAD)) at the 95th percentile of the exposure distribution for the general U.S. population (7% aPAD) and all population sub-groups; the most highly exposed population subgroup was Children1-2 years old with 16% aPAD. The somewhat refined chronic analysis assumed tolerance-level residues for some commodities, field trial residues for the majority of commodities, the available empirical or DEEMTM (ver. 7.81) default processing factors, and 100% CT. The resulting chronic food exposure estimates were less than HED's level of concern (<100% of the chronic population-adjusted dose (cPAD)) for the general U.S. population (17% cPAD) and all population sub-groups; the most highly exposed population subgroup was children 1-2 years old with 44% cPAD.

The aggregate dietary (food + water) acute and chronic dietary exposure analyses for difenoconazole metabolite 1,2,4- triazole (1,2,4-T) from all registered and proposed triazole-based pesticide uses are conducted separately (Memo, T. Morton, D367860, 13-AUG-09) as an update to the previously conducted aggregate dietary exposure risk assessment for 1,2,4-T (Memo, M. Sahafeyan, DP#341803, 30-OCT-07). The updated 1,2,4-T dietary risk, adding the new use sites associated with the subject petition, showed only a very minimal increase from the previous risk estimates and therefore still is not of concern.

The aggregate dietary (food + water) acute and chronic dietary exposure analyses were also conducted separately for difenoconazole metabolites triazole alanine (TA) and triazole acetic acid (TAA) from all registered and proposed triazole-based pesticide uses (Memo, T. Morton, D367860, 13-AUG-09) as an update to the previously conducted aggregate dietary exposure risk assessment for TA + TAA (M. Sahafeyan, DP#344298, 30-OCT-07). The updated TA+TAA dietary risk, adding the new use sites associated with the subject petition, showed only a very minimal increase from the previous risk estimates and therefore still is not of concern.

I. Introduction

Dietary risk assessment incorporates both exposure and toxicity of a given pesticide. For acute and chronic assessments, the risk is expressed as a percentage of a maximum acceptable dose (i.e., the dose which HED has concluded will result in no unreasonable adverse health effects).

Dietary Exposure Assessment

DP#: 367383

This dose is referred to as the PAD. The PAD is equivalent to the point of departure (POD, NOAEL, LOAEL, e.g.) divided by the required uncertainty or safety factors.

For acute and non-cancer chronic exposures, HED is concerned when estimated dietary risk exceeds 100% of the PAD. HED is generally concerned when estimated cancer risk exceeds one in one million. References which discuss the acute and chronic risk assessments in more detail are available on the EPA/pesticides web site: "Available Information on Assessing Exposure from Pesticides, A User's Guide," 21-JUN-2000, web link: http://www.epa.gov/fedrgstr/EPA-PEST/2000/July/Day-12/6061.pdf; or see SOP 99.6 (20-AUG-1999).

The most recent dietary risk assessment for difenoconazole was conducted by M. Sahafeyan (1-MAY-2008; DP#351961).

II. Residue Information

Difenoconazole tolerances are published in 40 CFR§180.475.

Residues of Concern in Plants and Livestock: The HED Metabolism Assessment Review Committee (MARC) has determined that for tolerance expression and risk assessment purposes, the residue of concern is difenoconazole per se for plant and livestock commodities. The MARC, however, stated that if tolerances are proposed for difenoconazole resulting from foliar uses which result in higher residue levels of CGA-205375 than parent, then the need to include CGA-205375 should be reconsidered (Memo, G. Kramer, 22-JUL-1994; No DP#). Because the petitioner has now proposed foliar uses of difenoconazole, which result in higher residues in crop commodities, the need to include metabolite CGA 205375 in the tolerance expression and/or risk assessment has been re-examined. Based upon a review of the previously-submitted metabolism data for difenoconazole, HED concludes the residue of concern for both tolerance setting and risk assessment for the crops included in this petition is difenoconazole. However, HED concludes the residue of concern in livestock for tolerance setting and risk assessment are difenoconazole and its metabolite CGA 205375 (for more details, see the summary document, DP# 340379). Table 1 below summarizes tolerance expression and the residues of concern in plant and livestock commodities.

Matrix Residues of Co			es of Concern
		For Risk Assessment For Tolerance Expre	
Plants	Primary and Rotational crops	Parent Only	Parent Only
Livestock	Ruminant and Poultry	Parent and CGA 205375	Parent and CGA 205375
Drinking Water		Parent Only	NA

Dietary Exposure Assessment

DP#: 367383

<u>Recommended Tolerances</u>: Based on the residue chemistry data submitted with the current petitions, HED recommended for establishment of the new food tolerances (DP# 361054, B. Cropp-Kohlligian, 17-Sept-2009). The recommended, established, and revised tolerances are listed in Table 2 below.

Table 2. Tolerance Summary fo	r Difenoconazole.	
Commodity	Existing/Established Tolerances (ppm)	New Recommended Tolerances (ppm)
Almond, nutmeat ¹	0.05	0.03 tree nut
Almond, hulls ¹	5.0	7.0
Brassica subgroup 5A	none	1.9
Brassica subgroup 5B	none	35
Citrus, dried pulp	none	2.5
Citrus oil	none	25
Fruit, citrus, group 10	none	0.6
Grape	0.1	4.0
Grape, raisin	none	6.0
Nut, tree, group 14	none	0.03
Onion, bulb, subgroup 3—07A	none	6.0
Onion, bulb, subgroup 3—07B	none	0.20
Pistachios	none	0.03
Vegetable, cucurbit, group 9 ¹	1.0 individual RACs	0.7
Fruit, Pome, (Group 11)	1.0	
Vegetable, Fruiting, Group 8	0.60	
Vegetable, Tuberous and Corm, subgroup 1C	0.01	
Beet, sugar ²	0.30	
Papaya	0.30	
Apple, wet pomace	4.5	
Beet, sugar, dried pulp	1.9	
Potato, processed waste	0.04	
Banana	0.2	
Barley, grain	0.1	
Barley, hay	0.05	
Barley, straw	0.05	
Canola, seed	0.01	
Cattle fat	0.10	
Cattle, meat	0.05	
Cattle, meat byproducts	0.10	
Cattle, liver	0.20	
Corn, sweet, forage	0.01	
Corn, sweet, kernel plus cob with husks removed	0.01	
Corn, sweet, stover	0.01	
Cotton, gin byproducts	0.05	

Dietary Exposure Assessment

DP#: 367383

Table 2. Tolerance Summary Commodity	Existing/Established	New Recommended Tolerances (ppm)
	Tolerances (ppm)	
Cotton, undelinted seed	0.05	
Egg ³	0.10	
Goat, fat	0.10	
Goat, meat	0.05	
Goat, meat byproducts	0.10	
Goat, liver	0.20	
Hog, fat	0.10	
Hog, meat	0.05	
Hog, meat byproducts	0.1	
Horse, fat	0.10	
Horse, meat	0.05	
Horse, meat byproducts	0.10	
Horse, liver	0.20	
Milk	0.01	
Papaya	0.30	
Rye, grain	0.1	
Sheep, fat	0.10	
Sheep, meat	0.05	
Sheep, meat byproducts	0.10	
Sheep, liver	0.20	
Wheat, forage	0.1	
Wheat, grain	0.1	
Wheat, straw	0.1	

¹ Section 18 emergency exemption tolerance.

Food Residues and processing factors used in the Acute and Chronic Analysis: The acute analysis assumed tolerance-level residues and 100% CT for all the registered and proposed crops. Tolerance-level residues were also assumed for all livestock tissues in this assessment. The chronic analysis assumed tolerance-level residues for some commodities, field trial residues for the majority of commodities, and 100 % CT. Those commodities where field trial data were used are summarized below. HED SOP 2000.1 Guidance for Translation of Field Trial Data from Representative Commodities in the Crop Group Regulation to Other Commodities in Each Crop Group/Subgroup dated 9/12/2000 was used in translating to other commodities in the crop group. Experimental processing factors were used for apple juice (0.04x), grape juice (0.2x), citrus juices (0.1x), potato chips (0.5x), potato granules/flakes (0.5x), raisin (3.5x chronic only), sugar beet molasses (0.6x), sugar beet refined sugar (0.6x), tomato paste (1.6x), and tomato puree (0.5x); DEEMTM (ver. 7.81) default processing factors were assumed for other processed commodities.

² The registered tolerance on sugar beet (0.01 ppm) needs to be changed to 0.3 ppm; see "Notes to RD" in memorandum: M. Sahafeyan, D351715, 07-MAY-08.

³ Based on a feeding study, HED recommended the tolerances for poultry commodities (except egg) be removed and the egg tolerance be increased to the current level of 0.1 ppm.

Dietary Exposure Assessment

DP#: 367383

Almond: Field trial residues were used from MRID 47586101.

Apple: Field trial residues were used from MRID 46950233.

<u>Broccoli</u>: Field trial residues were used from MRID 47586102. Residues from 1-7 day PHI were used since registered labels allow from 1-7 day PHIs.

<u>Cabbage</u>: Field trial residues were used from 47586102. Residues from 1-7 day PHI were used since registered labels allow from 1-7 day PHIs. To refine the dietary exposure data from only cabbage samples without wrapper leaves were used.

<u>Cantaloupe</u>: Field trial residues were used from MRID 47586103. Residues from 0-1 day PHI were used since registered labels allow from 0-1 day PHI.

<u>Cucumber</u>: Field trial residues were used from MRID 47586103. Residues from 0-1 day PHI were used since registered labels allow from 0-1 day PHI.

Grape: Field trial residues were used from MRID 47586105.

Grapefruit: Field trial residues were used from MRID 47586104.

Leaf Lettuce: Field trial residues were used from MRIDs 47417703 and 47417706.

Lemon: Field trial residues were used from MRID 47586104.

Lime: Field trial residues were used from MRID 47586104.

<u>Mustard Greens</u>: Field trial residues were used from MRIDs 47417704, 47417707, and 47586102. Residues from 1-7 day PHI were used since registered labels allow from 1-7 day PHIs.

Orange: Field trial residues were used from MRID 47586104.

Pear: Field trial residues were used from MRID 46950233.

Pecan: Field trial residues were used from MRID 47586106.

Peppers: Field trial residues were used from MRID 46950234.

Potato: Field trial residues were used from MRID 46950235.

Sugar Beet: Field trial residues were used from MRID 46950236.

<u>Summer Squash</u>: Field trial residues were used from MRID 47586103. Residues from 0-1 day PHI were used since registered labels allow from 0-1 day PHIs.

Dietary Exposure Assessment

DP#: 367383

Tomato: Field trial residues were used from MRIDs 46950234, 47417705, and 47417708.

III. Drinking Water Data

The drinking water estimates used in the dietary risk assessment were provided by the Environmental Fate and Effects Division (EFED; Memo, I. Maher, 28-MAY-2009; D361398). EFED conducted a Tier II drinking water assessment from surface water sources using the Pesticide Root Zone/Exposure Analysis Modeling System (PRZM/EXAMS) for the registered and proposed new uses. Among all the registered and proposed new uses, the highest estimated drinking water concentrations (EDWCs) from surface water sources were derived for aerial applications of difenoconazole to New York grapes at the maximum annual application rate of 0.46 lb ai/acre. The estimated drinking water residues for 1-in-10 year annual peak, 1-in-10 year annual mean, and 36-year annual mean are 15.8, 10.4, and 7.62 µg/L (ppb) respectively.

The highest SCI-GROW estimated drinking water concentration of difenoconazole from shallow ground water sources is $1.23 \times 10^{-2} \,\mu\text{g/L}$ derived for the maximum proposed application rate to citrus fruit (0.50 lb ai/A), i.e. agricultural uses. Based on the previous drinking water assessment, this estimate is lower than an estimate for non-agricultural uses $1.28 \times 10^{-2} \,\mu\text{g/L}$, obtained for the maximum application rate for ornamentals (0.52 lb ai/A; D333319). These concentrations can be considered as both the acute and chronic values.

IV. DEEM-FCID™ Program and Consumption Information

Difenoconazole acute and chronic dietary exposure assessments were conducted using the DEEM-FCID™ (ver. 2.03), which incorporates consumption data from USDA's CSFII (1994-1996 and 1998). The 1994-96, 98 data are based on the reported consumption of more than 20,000 individuals over two non-consecutive survey days. Foods "as consumed" (*e.g.*, apple pie) are linked to EPA-defined food commodities (*e.g.*, apples, peeled fruit - cooked; fresh or N/S; baked; or wheat flour - cooked; fresh or N/S, baked) using publicly available recipe translation files developed jointly by USDA/ARS and EPA. For chronic exposure assessment, consumption data are averaged for the entire U.S. population and within population subgroups, but for acute exposure assessment are retained as individual consumption events. Based on analysis of the 1994-96, 98 CSFII consumption data, which took into account dietary patterns and survey respondents, HED concluded that it is most appropriate to report risk for the following population subgroups: the general U.S. population, all infants (<1 year old), children 1-2, children 3-5, children 6-12, youth 13-19, adults 20-49, females 13-49, and adults 50+ years old.

For chronic dietary exposure assessment, an estimate of the residue level in each food or foodform (e.g., orange or orange juice) on the food commodity residue list is multiplied by the average daily consumption estimate for that food/food form. The resulting residue consumption estimate for each food/food form is summed with the residue consumption estimates for all other food/food forms on the commodity residue list to arrive at the total average estimated exposure. Exposure is expressed in mg/kg body weight/day and as a percent of the cPAD. This procedure is performed for each population subgroup.

For acute exposure assessments, individual one-day food consumption data are used on an

Difenoconazole Dietary Exposure Assessment

PC Code: 128847

DP#: 367383

individual-by-individual basis. The reported consumption amounts of each food item can be multiplied by a residue point estimate and summed to obtain a total daily pesticide exposure for a deterministic exposure assessment, or "matched" in multiple random pairings with residue values and then summed in a probabilistic assessment. The resulting distribution of exposures is expressed as a percentage of the aPAD on both a user (*i.e.*, those who reported eating relevant commodities/food forms) and a per-capita (*i.e.*, those who reported eating the relevant commodities as well as those who did not) basis. In accordance with HED policy, per capita exposure and risk are reported for all tiers of analysis. However, for Tiers 1 and 2, significant differences in user vs. per capita exposure and risk are identified and noted in the risk assessment.

V. Toxicological Information

On 08-SEP-1998, HED's Hazard Identification Assessment Review Committee (HIARC) evaluated the toxicology data base of difenoconazole and re-assessed the RfD established in 1994, as well as the toxicological endpoints for the dietary and occupational exposure risk assessments that were selected in 1994. At this meeting, the HIARC also addressed the potential enhanced sensitivity of infants and children from exposure to difenoconazole as required by the Food Quality Protection Act (FQPA) of 1996 (HED Doc. No. 012873, 25-SEP-1998). In July, 2007, the RAB1 toxicologists and risk assessment team met to reevaluate the endpoints selected by the HIARC since new studies were submitted. RAB1 toxicologists and risk assessment team also reevaluated FQPA assessments. The risk assessment team concluded that the default 10x FQPA Safety Factor (SF) be reduced to 1x when assessing acute and chronic dietary exposures (M.Sahafeyan, D333320, 09-AUG-07). The relevant endpoints are shown in Table 3.

For purposes of this action, HED recently reviewed HED's 27-JUL-1994 Cancer Peer Review Committee (CPRC) report (Memo, Jess Rowland and Esther Rinde) on difenoconazole and the supporting data-evaluation records (DERs). HED concluded that difenoconazole is a very weak carcinogen, showing effects only at excessive doses. In retrospect, the CPRC should have classified this pesticide as a category C with no linear quantification of cancer risk. The cRfD, based on borderline liver effects in male rats at 24.1 mg/kg and a NOAEL of 0.96 mg/kg, would be protective of any carcinogenic effects seen in the mouse (Memo, S. Levy *et al.*, 05-AUG-2005; DP# 319944). Therefore, a separate cancer dietary assessment was *not* conducted for difenoconazole.

Dietary Exposure Assessment

DP#: 367383

Assessments. Exposure Scenario	Point of Departure	Uncertainty/FQPA Safety Factors	RfD, PAD, LOC for Risk Assessment	Study and Relevant Toxicological Effects
Acute Dietary (All populations)	NOAEL = 25 mg/kg	UF _A = 10X UF _H = 10X FQPA SF = 1X	aRfD = aPAD = 0.25 mg/kg/day	Acute Neurotoxicity Study in Rats LOAEL= 200 mg/kg in males based on reduced fore-limb grip strength in males on day 1.
Chronic Dietary (All populations)	NOAEL = 0.96 mg/kg/day	UF _A = 10X UF _H = 10X FQPA SF = 1X	cRfD = cPAD = 0.01mg/kg/day	Combined chronic toxicity/carcinogenicity (rat; dietary) LOAEL = 24.1/32.8 mg/kg/day (M/F) based on cumulative decreases in body-weight gains.
Cancer (oral, dermal, inhalation)	approach for l		p C, possible human carcinoge on (CPRC Document, 7/27/94, 2)	

Point of Departure (POD) = A data point or an estimated point that is derived from observed dose-response data and used to mark the beginning of extrapolation to determine risk associated with lower environmentally relevant human exposures. NOAEL = no observed adverse effect level. LOAEL = lowest observed adverse effect level. UF = uncertainty factor. UF_A = extrapolation from animal to human (interspecies). UF_H = potential variation in sensitivity among members of the human population (intraspecies). FQPA SF = FQPA Safety Factor. PAD = population adjusted dose (a = acute, c = chronic). RfD = reference dose. MOE = margin of exposure. LOC = level of concern.

VI. Results/Discussion

As stated above, for acute and chronic assessments, HED is concerned when dietary risk exceeds 100% of the aPAD or cPAD, respectively. The following paragraphs are summaries of the DEEM-FCIDTM (ver. 2.03) acute and chronic exposure analyses.

Acute and chronic aggregate (food + water) analyses were performed using DEEM-FCIDTM estimating the dietary exposure of the U.S. population and various population subgroups. The results are summarized in Tables 4 and 5 below for acute and chronic analyses respectively.

The resulting acute food exposure estimates were less than HED's level of concern (<100% aPAD) at the 95th percentile of the exposure distribution for general US population (7% aPAD) and all population sub-groups; the most highly exposed population subgroup was Children 1-2 years old population sub-group with 16% aPAD. The resulting chronic food exposure estimates were less than HED's level of concern (<100% cPAD) for general U.S. population (17% cPAD) and all population sub-groups; the most highly exposed population subgroup was children 1-2 years old with 44% cPAD. A cancer dietary assessment was not conducted for difenoconazole because the cancer NOAEL is higher than the chronic RfD; therefore, the chronic dietary risk estimate is more protective.

Dietary Exposure Assessment

DP#: 367383

Population Subgroup	aPAD (mg/kg/day)	Exposure (mg/kg/day)	%aPAD
General U.S. Population		0.017715	7
All Infants (< 1 year old)		0.025066	10
Children 1-2 years old		0.039605	16
Children 3-5 years old	0.25	0.031735	13
Children 6-12 years old	0,23	0.017972	7
Youth 13-19 years old	•	0.008802	4
Adults 20-49 years old		0.013060	5
Adults 50+ years old		0.017260	7
Females 13-49 years old		0.013242	5

The bolded %aPAD is the highest.

Population Subgroup	cPAD (mg/kg/day)	Exposure (mg/kg/day)	%cPAD
General U.S. Population		0.001694	17
All Infants (< 1 year old)		0.002403	24
Children 1-2 years old		0.004440	44
Children 3-5 years old	0.01	0.003593	36
Children 6-12 years old	0.01	0.002041	20
Youth 13-19 years old		0.001360	14
Adults 20-49 years old		0.001362	14
Adults 50+ years old		0.001538	15
Females 13-49 years old		0.001389	14

The bolded %cPAD is the highest.

VII. Characterization of Inputs/Outputs

The acute analysis assumed tolerance-level residues, 100% CT, and empirical or DEEM™ default processing factors. The chronic analysis assumed tolerance-level residues, for some commodities, field trial residues for the majority of commodities, 100 % CT, and empirical or DEEM™ default processing factors. Therefore, these analyses are considered conservative. They do not warrant the need for further refinement at this time.

VIII. Conclusions

An acute aggregate (food + water) dietary risk assessment was conducted for difenoconazole using the DEEM-FCIDTM (ver. 2.03) model and assumed tolerance-level residues, 100% CT, and empirical or DEEMTM default processing factors. The chronic aggregate dietary risk assessment assumed tolerance-level residues for some commodities, field trial residues for the majority of commodities, 100 % CT, and empirical or DEEMTM default processing factors. The resulting acute and chronic aggregate exposure estimates were less than HED's level of concern. For the

Dietary Exposure Assessment

DP#: 367383

general U.S. population, the aPAD and cPAD were 7% and 17%, respectively. The most highly-exposed population subgroups in the acute (at the 95th percentile of the exposure distribution) and chronic analyses were Children 1-2 years old (16% aPAD) and children 1-2 years old (44% cPAD) respectively.

IX. Attachments

Attachment 1: DEEM-FCID™ Acute Residue File

Attachment 2: DEEM-FCID™ Acute Exposure Estimates Attachment 3: DEEM-FCID™ Chronic Residue File

Attachment 4: DEEM-FCID™ Chronic Exposure Estimates

cc with all attachments: T. Morton (RABIV)

RDI: P. Yvonne Barnes and Nancy Dodd - DESAC (4-Aug-2009)

Petition Number(s): PP#8F7482

DP#: 367383 PC Code: 128847

T. Morton:S10922:PY1:(703)305-6691

Dietary Exposure Assessment

DP#: 367383

Attachment 1: DEEM-FCIDTM Acute Residue File

 $\label{localization} Filename: C:\Documents and Settings\tmorton\My Documents\MyFiles\Triazole Assessment for Difenoconazole\difenoconazole_acute-07-09.R98$

Chemical: Difenoconazole

RfD(Chronic): .01 mg/kg bw/day NOEL(Chronic): 0 mg/kg bw/day RfD(Acute): .25 mg/kg bw/day NOEL(Acute): 0 mg/kg bw/day Date created/last modified: 07-28-2009/06:40:16/8

Program ver. 2.03

		last modified: 07-28-2009/06:40:10				
EPA	Crop		Def Res	Adi. Fa		
Code			(ppm)	#1	#2	
		Commodity Name Banana Banana-babyfood Banana, dried Banana, dried-babyfood Cottonseed, oil Cottonseed, oil-babyfood				
95000230	0	Banana - babyfood	0.200000	1.000	1.000	
95000231	0	Banana-babyfood Banana, dried Banana, dried-babyfood Cottonseed, oil Cottonseed, oil-babyfood	0.200000	3.900	1.000	
95000240	0	Ranana dried-habyfood	0.200000	3.900	1.000	
95001280	0	Cottonseed, oil	0.050000	1.000	1.000	
95001281	ō	Cottonseed, oil-babyfood	0.050000	1.000	1.000	
95001750	0	Grape	4.000000	1.000	1.000	
95001760	0	Grape, juice	4.000000	0.200	1.000	
95001761	0	Grape, juice-babyfood	4.000000	0.200	1.000	
95001770	0	Grape, leaves	4.000000	1.000	1.000	
95001780	0	Grape Grape, juice Grape, juice-babyfood Grape, leaves Grape, raisin Grape, wine and sherry Papaya Papaya-babyfood Papaya, dried Papaya, juice Plantain Plantain, dried	6.000000	1.000	1.000	
95001790	0	Grape, wine and sherry	4.000000	1.000	1.000	
95002450	0	Papaya babufaad	0.300000	1.000	1.000	
95002451 95002460	0	Panaya dried	0.300000	1.000 1.800	1.000	
95002470	0	Panava, ilice	0.300000	1.500	1.000	
95002830	0	Plantain	0.200000	1.000	1.000	
95002840	Ō	Plantain, dried	0.200000	3.900	1.000	
86010000	0	Water, direct, all sources	0.015800	1.000	1.000	
86020000		Water, indirect, all sources	0.015800	1.000	1.000	
21000440	M	Beef, meat	0.050000	1.000	1.000	
21000441	M	Beef, meat-babyfood	0.050000	1.000	1.000	
21000450		Beef, meat, dried	0.050000	1.920	1.000	
21000460		Beef, meat byproducts	0.100000	1.000	1.000	
21000461		Beef, meat byproducts-babyfood		1.000	1.000	
21000470		Beef, fat Beef, fat-babyfood	0.100000	1.000	1.000	
21000471		Beef, kidney	0.100000 0.100000	1.000	1.000	
21000480 21000490		Beef, liver	0.200000	1.000	1.000	
21000491		Beef, liver-babyfood	0.200000	1.000	1.000	
23001690		Goat, meat	0.050000	1.000	1.000	
23001700		Goat, meat byproducts	0.100000	1.000	1.000	
23001710	M	Goat, fat	0.100000	1.000	1.000	
23001720	M	Goat, fat Goat, kidney Goat, liver Horse, meat Pork, meat Pork, meat-babyfood Pork, skin	0.100000	1.000	1.000	
23001730	M	Goat, liver	0.200000	1.000	1.000	
24001890	M	Horse, meat	0.050000	1.000	1.000	
25002900	M	Pork, meat	0.050000	1.000	1.000	
25002901	M	Pork, meat-babylood	0.050000	1.000	1.000	
25002910		Pork, skin Pork, meat byproducts	0.100000 0.100000	1.000	1.000	
25002920 25002921		Pork, meat byproducts-babyfood	0.100000	1.000	1.000	
25002921		Pork, fat	0.100000	1.000	1.000	
25002931		Pork, fat-babyfood	0.100000		1.000	
25002940		Pork, kidney	0.100000		1.000	
25002950	M	Pork, liver	0.200000	1.000	1.000	
26003390	M	Sheep, meat	0.050000	1.000	1.000	
26003391		Sheep, meat-babyfood	0.050000	1.000	1.000	
26003400					1.000	
26003410		Sheep, fat	0.100000	1.000	1.000	
26003411		Sheep, fat-babyfood	0.100000	1.000	1.000	
26003420		Sheep, kidney	0.100000 0.200000	1.000	1.000	
26003430 70001450		Sheep, liver Egg, whole	0.100000	1.000	1.000	
70001450		Egg, whole-babyfood	0.100000	1.000	1.000	
70001451		Egg, white	0.100000	1.000	1.000	
70001461		Egg, white (solids)-babyfood	0.100000	1.000	1.000	
70001131		Egg, yolk	0.100000	1.000	1.000	
70001471		Egg, yolk-babyfood	0.100000	1.000	1.000	
27002220		Milk, fat	0.010000	1.000	1.000	
27002221	D	Milk, fat - baby food/infant for	0.010000	1.000	1.000	
27012230		Milk, nonfat solids	0.010000	1.000	1.000	
27012231		Milk, nonfat solids-baby food/in	0.010000	1.000	1.000	
27022240	D	Milk, water	0.010000	1.000	1.000	

Dietary Exposure Assessment

DP#: 367383

27022241	D	Milk, water-babyfood/infant form	0.010000	1.000	1.000
27032251		Milk, sugar (lactose)-baby food/	0.010000	1.000	1.000
01010520		Beet, sugar	0.300000	1.000	1.000
01010521		Beet, sugar-babyfood	0.300000	1.000	1.000
01010530	1A	Beet, sugar, molasses	0.300000	0.600	1.000
01010531	1A	Beet, sugar, molasses-babyfood	0.300000	0.600	1.000
01032960	1C	Potato, chips	0.010000	0.500	1.000
01032970	1C	Potato, dry (granules/ flakes)	0.010000	0.500	1.000
01032971	1C	Potato, dry (granules/ flakes)-b	0.010000	0.500	1.000
01032980	1C	Potato, flour	0.010000	1.000	1.000
01032981	1C	Potato, flour-babyfood	0.010000	1.000	1.000
01032990	1C	Potato, tuber, w/peel	0.010000	1.000	1.000
01032991	1C	Potato, tuber, w/peel-babyfood	0.010000	1.000	1.000
01033000	1C	Potato, tuber, w/o peel	0.010000	1.000	1.000
01033001	1C	Potato, tuber, w/o peel-babyfood	0.010000	1.000	1.000
03001640	3	Garlic	0.200000	1.000	1.000
03001650	3	Garlic, dried	0.200000	1.000	1.000
03001651	3	Garlic, dried-babyfood	0.200000	1.000	1.000
03001980	3	Leek	6.000000	1.000	1.000
03002370	3	Onion, dry bulb	0.200000	1.000	1.000
03002371	3	Onion, dry bulb-babyfood	0.200000	1.000	1.000
03002380	3	Onion, dry bulb, dried	0.200000	1.000	1.000
03002381	3	Onion, dry bulb, dried-babyfood	0.200000	1.000	1.000
03002390	3	Onion, green	6.000000	1.000	1.000
03003380	3	Shallot	0.200000	1.000	1.000
05010610	5A	Broccoli	1.900000	1.000	1.000
05010611	5A	Broccoli-babyfood	1.900000	1.000	1.000
05010620	5A	Broccoli, Chinese	1.900000	1.000	1.000
05020630	5B	Broccoli raab	35.000000	1.000	1.000
05010640	5A	Brussels sprouts	1.900000	1.000	1.000
05010690	5A	Cabbage	1.900000	1.000	1.000
05020700	5B	Cabbage, Chinese, bok choy	35.000000	1.000	1.000
05010710	5A	Cabbage, Chinese, napa	1.900000	1.000	1.000
05010720		Cabbage, Chinese, mustard	1.900000	1.000	1.000
05010830	5A	Cauliflower	1.900000	1.000	1.000
05021170		Collards	35.000000	1.000	1.000
05021940		Kale	35.000000	1.000	1.000
05011960		Kohlrabi	1.900000	1.000	1.000
05022290		Mustard greens	35.000000	1.000	1.000
05023180		Rape greens	35.000000	1.000	1.000
05023890		Turnip, greens	35.000000	1.000	1.000
08002340		Okra	0.600000	1.000	1.000
08002700		Pepper, bell	0.600000	1.000	1.000
08002701		Pepper, bell-babyfood	0.600000	1.000	1.000
08002710		Pepper, bell, dried	0.600000	1.000	1.000
08002711		Pepper, bell, dried-babyfood	0.600000	1.000	1.000
08002720		Pepper, nonbell	0.600000	1.000	1.000
08002721		Pepper, nonbell-babyfood	0.600000	1.000	1.000
08002730		Pepper, nonbell, dried	0.600000	1.000	1.000
08003740		Tomatillo	0.600000	1.000	1.000
08003750		Tomato habufood	0.600000	1.000	1.000
08003751		Tomato-babyfood Tomato, paste	0.600000	1.000 1.600	1.000
08003760		Tomato, paste Tomato, paste-babyfood	0.600000 0.600000	1.600	1.000
08003761 08003770		Tomato, puree	0.600000	0.500	1.000
08003771		Tomato, puree-babyfood	0.600000	0.500	1.000
		Tomato, dried	0.600000	14.300	1.000
08003780 08003781		Tomato, dried-babyfood	0.600000	14.300	1.000
08003761		Tomato, diled-babylood Tomato, juice	0.600000	1.500	1.000
09020210		Balsam pear	0.700000	1.000	1.000
09010750		Cantaloupe	0.700000	1.000	1.000
09010800		Casaba	0.700000	1.000	1.000
09020880		Chayote, fruit	0.700000	1.000	1.000
09021020		Chinese waxgourd	0.700000	1.000	1.000
09021350		Cucumber	0.700000	1.000	1.000
09011870		Honeydew melon	0.700000	1.000	1.000
09023080		Pumpkin	0.700000	1.000	1.000
09023090		Pumpkin, seed	0.700000	1.000	1.000
09023560		Squash, summer	0.700000	1.000	1.000
09023561		Squash, summer-babyfood	0.700000	1.000	1.000
09023570		Squash, winter	0.700000	1.000	1.000
09023571		Squash, winter-babyfood	0.700000	1.000	1.000
09013990		Watermelon	0.700000	1.000	1.000
09014000		Watermelon, juice	0.700000	1.000	1.000
10001060		Citrus citron	0.600000	1.000	1.000
10001070		Citrus hybrids	0.600000	1.000	1.000
10001080		Citrus, oil	25.000000	1.000	1.000
· •			of 10		

Dietary Exposure Assessment

DP#: 367383

10001800	10	Grapefruit	0.600000	1.000	1.000
10001810		Grapefruit, juice	0.600000	0.100	1.000
10001970		Kumquat	0.600000	1.000	1.000
10001990		Lemon	0.600000	1.000	1.000
10002000		Lemon, juice	0.600000	0.100	1.000
10002001		Lemon, juice-babyfood	0.600000	0.100	1.000
10002010		Lemon, peel	0.600000	1.000	1.000
10002060		Lime	0.600000	1.000	1.000
10002070		Lime, juice	0.600000	0.100	1.000
10002071		Lime, juice-babyfood	0.600000	0.100	1.000
10002400		Orange	0.600000	1.000	1.000
10002410		Orange, juice	0.600000	0.100	1.000
10002411		Orange, juice-babyfood	0.600000	0.100	1.000
10002420		Orange, peel	0.600000	1.000	1.000
10003070		Pummelo	0.600000	1.000	1.000
10003690		Tangerine	0.600000	1.000	1.000
10003700		Tangerine, juice	0.600000	0.100	1.000
11000070		Apple, fruit with peel	1.000000	1.000	1.000
11000080		Apple, peeled fruit	1.000000	1.000	1.000
11000081		Apple, peeled fruit-babyfood	1.000000	1.000	1.000
11000090		Apple, dried	1.000000	8.000	1.000
11000091		Apple, dried-babyfood	1.000000	8.000	1.000
11000100		Apple, juice	1.000000	0.040	1.000
11000101		Apple, juice-babyfood	1.000000	0.040	1.000
11000110		Apple, sauce	1,000000	1.000	1.000
11000111		Apple, sauce-babyfood	1.000000	1.000	1.000
11001290		Crabapple	1,000000	1.000	1.000
11002100		Loquat	1,000000	1.000	1.000
11002100		Pear	1.000000	1.000	1.000
11002661		Pear-babyfood	1.000000	1.000	1.000
11002670		Pear, dried	1.000000	6.250	1.000
11002670		Pear, juice	1.000000	1.000	1.000
11002681		Pear, juice-babyfood	1.000000	1.000	1.000
11003100		Quince	1.000000	1.000	1.000
14000030		Almond	0.030000	1.000	1.000
14000031		Almond-babyfood	0.030000	1.000	1.000
14000040		Almond, oil	0.030000	1.000	1.000
14000041		Almond, oil-babyfood	0.030000	1.000	1.000
14000590		Brazil nut	0.030000	1.000	1.000
14000680		Butternut	0.030000	1.000	1.000
14000810		Cashew	0.030000	1.000	1.000
14000920		Chestnut	0.030000	1.000	1.000
14001550		Filbert	0.030000	1.000	1.000
14001560		Filbert, oil	0.030000	1.000	1.000
14001850		Hickory nut	0.030000	1.000	1.000
14002130		Macadamia nut	0.030000	1.000	1.000
14002690		Pecan	0.030000	1.000	1.000
14002820		Pistachio	0.030000	1.000	1.000
14003910		Walnut	0.030000	1.000	1.000
15000250		Barley, pearled barley	0.100000	1.000	1.000
15000251		Barley, pearled barley-babyfood	0.100000	1.000	1.000
15000260		Barley, flour	0.100000	1.000	1.000
15000261	15	Barley, flour-babyfood	0.100000	1.000	1.000
15000270		Barley, bran	0.100000	1.000	1.000
15001270		Corn, sweet	0.010000	1.000	1.000
15001271		Corn, sweet-babyfood	0.010000	1.000	1.000
15003280		Rye, grain	0.100000	1.000	1.000
15003290		Rye, flour	0.100000	1.000	1.000
15004010	15	Wheat, grain	0.100000	1.000	1.000
15004011	15	Wheat, grain-babyfood	0.100000	1.000	1.000
15004020	15	Wheat, flour	0.100000	1.000	1.000
15004021	15	Wheat, flour-babyfood	0.100000	1.000	1.000
15004030		Wheat, germ	0.100000	1.000	1.000
15004040	15	Wheat, bran	0.100000	1.000	1.000

Dietary Exposure Assessment

DP#: 367383

Attachment 2: DEEM-FCIDTM Acute Exposure Estimates

U.S. Environmental Protection Agency Ver. 2.02
DEEM-FCID ACUTE Analysis for DIFENOCONAZOLE (1994-98 data)
Residue file: difenoconazole_acute-07-09.R98 Adjustment factor #2 NOT used.
Analysis Date: 07-28-2009/07:08:48 Residue file dated: 07-28-2009/06:40:16/8
Daily totals for food and foodform consumption used.
Run Comment: ""

Summary calculations (per capita):

	95th Perc Exposure		99th Perc Exposure		99.9th Pe Exposure	rcentile % aRfD
U.S. Population:						
All infants:	0.017715	7.09	0.051438	20.58	0.142179	56.87
All Intancs.	0.025066	10.03	0.040303	16.12	0.118877	47.55
Children 1-2 yrs:	0.039605	15.84	0.087536	35.01	0.253375	101.35
Children 3-5 yrs:						
Children 6-12 yrs:	0.031735	12.69	0.070148	28.06	0.372373	148.95
Children o 12 yrs.	0.017972	7.19	0.039096	15.64	0.148180	59.27
Youth 13-19 yrs:	0.008802	3.52	0.039648	15.86	0.138738	55.50
Adults 20-49 yrs:	0.000002	3.32	0.033010	23.00	0.130730	33.30
-	0.013060	5.22	0.041884	16.75	0.109769	43.91
Adults 50+ yrs:	0.017260	6.90	0.062895	25.16	0.138270	55.31
Females 13-49 yrs:						
	0.013242	5.30	0.041877	16.75	0.116989	46.80

Dietary Exposure Assessment

DP#: 367383

Attachment 3: DEEM-FCID™ Chronic Residue File

 $\label{lem:condition} Filename: C:\Documents and Settings\tmorton\My Documents\MyFiles\Triazole Assessment for Difenoconazole\difenoconazole_chronic-08-04AverageFT.R98$

Chemical: Difenoconazole

RfD(Chronic): .01 mg/kg bw/day NOEL(Chronic): 0 mg/kg bw/day RfD(Acute): .25 mg/kg bw/day NOEL(Acute): 0 mg/kg bw/day Date created/last modified: 08-04-2009/09:25:01/8 Pro

Program ver. 2.03

EPA Code	Crop Grp	Commodity Name	Def Res	#1	#2	
		Danama	0 200000		1 000	
95000230	0	Banana Banana-babyfood Banana, dried Banana, dried-babyfood Cottonseed, oil	0.200000 0.200000	1.000		
95000231	0	Banana-babyfood Banana, dried Banana, dried-babyfood Cottonseed, oil Cottonseed, oil-babyfood	0.200000	3.900		
95000210	0	Banana, dried-babyfood	0.200000	3.900	1.000	
95001280	0	Cottonseed, oil	0.250000	1.000	1.000	
95001281	Ô	Cottonseed, oil-babyfood	0.050000	1.000	1.000	
95001750		Grape	0.613000	1.000	1.000	
95001760		Grape, juice	0.613000	0.200	1.000	
95001761		Grape, juice-babyfood	0.613000	0.200	1.000	
95001770		Grape, juice-babyfood Grape, leaves Grape, raisin Grape, wine and sherry	0.613000	1.000	1.000	
95001780	0	Grape, raisin	0.613000	3.500	1.000	
95001790	0	Grape, wine and sherry	0.613000	1.000	1.000	
95002450	0	Papaya	0.300000	1.000	1.000	
95002451	0	Papaya-babyfood	0.300000	1.000	1.000	
95002460		Papaya, dried	0.300000	1.800	1.000	
95002470		Papaya, juice	0.300000	1.500	1.000	
95002830		Plantain	0.200000	1.000	1.000	
95002840		Plantain, dried	0.200000	3.900	1.000	
86010000		Water, direct, all sources		1.000	1.000	
86020000		Water, indirect, all sources	0.010400	1.000	1.000	
21000440		Beef, meat babufood	0.050000	1.000	1.000	
21000441		Beef, meat-babyfood	0.050000	1.000 1.920	1.000	
21000450		Beef, meat, dried	0.050000 0.100000	1.000	1.000	
21000460		Beef, meat byproducts Beef, meat byproducts-babyfood		1.000	1.000	
21000461 21000470		Beef, fat	0.100000	1.000	1.000	
21000470		Beef, fat-babyfood	0.100000	1.000	1.000	
21000471		Beef, kidney	0.100000	1.000	1.000	
21000100		Beef, liver	0.200000	1.000	1.000	
21000491		Beef, liver-babyfood	0.200000	1.000	1.000	
23001690		Goat, meat	0.050000	1.000	1.000	
23001700		Goat, meat byproducts	0.100000	1.000	1.000	
23001710	M	Goat, fat	0.100000	1.000	1.000	
23001720	M	Goat, kidney	0.100000	1.000	1.000	
23001730	M	Goat, liver	0.200000	1.000	1.000	
24001890	M	Horse, meat	0.050000	1.000	1.000	
25002900		Pork, meat	0.050000	1.000	1.000	
25002901		Pork, meat-babyfood	0.050000	1.000	1.000	
25002910		Pork, skin	0.100000	1.000	1.000	
25002920		Pork, meat byproducts	0.100000		1.000	
25002921		Pork, meat byproducts-babyfood Pork, fat	0.100000 0.100000	1.000	1.000	
25002930 25002931		Pork, fat-babyfood	0.100000		1.000	
25002940		Pork, kidney	0.100000	1.000	1.000	
25002950		Pork, liver	0.200000		1.000	
26003390		Sheep, meat	0.050000	1.000	1.000	
26003391		Sheep, meat-babyfood	0.050000	1.000	1.000	
26003400		Sheep, meat byproducts	0.100000	1.000	1.000	
26003410	M	Sheep, fat	0.100000	1.000	1.000	
26003411	M	Sheep, fat Sheep, fat-babyfood	0.100000	1.000	1.000	
26003420	M	Sheep, kidney	0.100000	1.000	1.000	
26003430	M	Sheep, liver	0.200000	1.000	1.000	
70001450	P	Egg, whole	0.100000	1.000	1.000	
70001451	P	Egg, whole-babyfood	0.100000	1.000	1.000	
70001460	P	Egg, white	0.100000	1.000	1.000	
70001461		Egg, white (solids)-babyfood	0.100000	1.000	1.000	
70001470		Egg, yolk	0.100000	1.000	1.000	
70001471		Egg, yolk-babyfood	0.100000	1.000	1.000	
27002220		Milk, fat	0.010000	1.000	1.000	
27002221		Milk, fat - baby food/infant for	0.010000	1.000	1.000	
27012230		Milk, nonfat solids	0.010000	1.000	1.000	
27012231		Milk, nonfat solids-baby food/in	0.010000	1.000	1.000	
27022240	ט	Milk, water	0.010000	1.000	1.000	

Dietary Exposure Assessment

DP#: 367383

0 1.000
0 1.000
0 1.000
0 1.000
0 1.000
0 1.000
0 1.000
0 1.000
0 1.000

27022241	D	Milk, water-babyfood/infant form	0.010000	1.000	1.000
27032251	D	Milk, sugar (lactose)-baby food/	0.010000	1.000	1.000
01010520	1A	Beet, sugar	0.300000	1.000	1.000
01010521	1A	Beet, sugar-babyfood	0.300000	1.000	1.000
01010530		Beet, sugar, molasses	0.300000	0.600	1.000
01010531		Beet, sugar, molasses-babyfood	0.300000	0.600	1.000
01032960		Potato, chips	0.005000	0.500	1.000
01032970		Potato, dry (granules/ flakes)	0.005000	0.500	1.000
01032971		Potato, dry (granules/ flakes)-b	0.005000	0.500	1.000
01032980		Potato, flour	0.005000	1.000	1.000
01032981		Potato, flour-babyfood	0.005000	1.000	1.000
01032990		Potato, tuber, w/peel	0.005000	1.000	1.000
01032991		Potato, tuber, w/peel-babyfood	0.005000	1.000	1.000
01033000		Potato, tuber, w/o peel	0.005000	1.000	1.000
01033001		Potato, tuber, w/o peel-babyfood	0.005000 0.200000	1.000	1.000
03001640		Garlic Garlic, dried	0.200000	1.000	1.000
03001650 03001651		Garlic, dried-babyfood	0.200000	1.000	1.000
03001831		Leek	6.000000	1.000	1.000
03001360		Onion, dry bulb	0.200000	1.000	1.000
03002370		Onion, dry bulb-babyfood	0.200000	1.000	1.000
03002371		Onion, dry bulb, dried	0.200000	1.000	1.000
03002381		Onion, dry bulb, dried-babyfood	0.200000	1.000	1.000
03002390		Onion, green	6.000000	1.000	1.000
03003380		Shallot	0.200000	1.000	1.000
05010610		Broccoli	0.221000	1.000	1.000
05010611		Broccoli-babyfood	0.221000	1.000	1.000
05010620		Broccoli, Chinese	0.221000	1.000	1.000
05020630		Broccoli raab	5.100000	1.000	1.000
05010640		Brussels sprouts	29.000000	1.000	1.000
05010690		Cabbage	0.029000	1.000	1.000
05020700		Cabbage, Chinese, bok choy	5.100000	1.000	1.000
05010710		Cabbage, Chinese, napa	0.029000	1.000	1.000
05010720	5A	Cabbage, Chinese, mustard	0.221000	1.000	1.000
05010830	5A	Cauliflower	0.221000	1.000	1.000
05021170	5B	Collards	5.100000	1.000	1.000
05021940	5B	Kale	5.100000	1.000	1.000
05011960	5A	Kohlrabi	0.029000	1.000	1.000
05022290	5B	Mustard greens	5.100000	1.000	1.000
05023180	5B	Rape greens	5.100000	1.000	1.000
05023890	5B	Turnip, greens	5.100000	1.000	1.000
08002340	8	Okra	0.600000	1.000	1.000
08002700	8	Pepper, bell	0.133000	1.000	1.000
08002701	8	Pepper, bell-babyfood	0.133000	1.000	1.000
08002710		Pepper, bell, dried	0.133000	1.000	1.000
08002711		Pepper, bell, dried-babyfood	0.133000	1.000	1.000
08002720		Pepper, nonbell	0.133000	1.000	1.000
08002721		Pepper, nonbell-babyfood	0.133000	1.000	1.000
08002730		Pepper, nonbell, dried	0.133000	1.000	1.000
08003740		Tomatillo	0.165000	1.000	1.000
08003750		Tomato	0.165000	1.000	1.000
08003751		Tomato-babyfood	0.165000	1.000	1.000
08003760		Tomato, paste	0.165000	1.600	1.000
08003761		Tomato, paste-babyfood	0.165000	1.600	1.000
08003770		Tomato, puree Tomato, puree-babyfood	0.165000	0.500	1.000
08003771 08003780		Tomato, dried	0.165000 0.165000	0.500 14.300	1.000
08003780		Tomato, dried-babyfood	0.165000	14.300	1.000
08003701		Tomato, juice	0.165000	1.500	1.000
09020210		Balsam pear	0.055000	1.000	1.000
09010750		Cantaloupe	0.137000	1.000	1.000
09010800		Casaba	0.137000	1.000	1.000
09020880		Chayote, fruit	0.310000	1.000	1.000
09021020		Chinese waxgourd	0.055000	1.000	1.000
09021350		Cucumber	0.055000	1.000	1.000
09011870		Honeydew melon	0.137000	1.000	1.000
09023080		Pumpkin	0.031000	1.000	1.000
09023090		Pumpkin, seed	0.031000	1.000	1.000
09023560		Squash, summer	0.031000	1.000	1.000
09023561		Squash, summer-babyfood	0.031000	1.000	1.000
09023570		Squash, winter	0.031000	1.000	1.000
09023571		Squash, winter-babyfood	0.031000	1.000	1.000
09013990		Watermelon	0.137000	1.000	1.000
09014000		Watermelon, juice	0.137000	1.000	1.000
10001060		Citrus citron	0.208000	1.000	1.000
10001070	10	Citrus hybrids	0.208000	1.000	1.000
10001080	10	Citrus, oil	25.000000	1.000	1.000
		17	of 19		

Dietary Exposure Assessment

DP#: 367383

10001800 10	Grapefruit	0.120000	1.000	1.000
10001810 10	Grapefruit, juice	0.120000	0.100	1.000
10001010 10	Kumquat	0.208000	1.000	1.000
10001970 10	Lemon	0.176000	1.000	1.000
	Lemon, juice	0.176000	0.100	1.000
10002000 10	Lemon, juice	0.176000	0.100	1.000
10002001 10	Lemon, juice-babyfood		1.000	
10002010 10	Lemon, peel	0.176000		1.000
10002060 10	Lime	0.176000	1.000	1.000
10002070 10	Lime, juice	0.176000	0.100	1.000
10002071 10	Lime, juice-babyfood	0.176000	0.100	1.000
10002400 10	Orange	0.208000	1.000	1.000
10002410 10	Orange, juice	0.208000	0.100	1.000
10002411 10	Orange, juice-babyfood	0.208000	0.100	1.000
10002420 10	Orange, peel	0.208000	1.000	1.000
10003070 10	Pummelo	0.120000	1.000	1.000
10003690 10	Tangerine	0.208000	1.000	1.000
10003700 10	Tangerine, juice	0.208000	0.100	1.000
11000070 11	Apple, fruit with peel	0.203000	1.000	1.000
	Apple, peeled fruit	0.203000	1.000	1.000
11000080 11		0.203000	1.000	1.000
11000081 11	Apple, peeled fruit-babyfood			1.000
11000090 11	Apple, dried	0.203000	8.000	
11000091 11	Apple, dried-babyfood	0.203000	8.000	1.000
11000100 11	Apple, juice	0.203000	0.040	1.000
11000101 11	Apple, juice-babyfood	0.203000	0.040	1.000
11000110 11	Apple, sauce	0.203000	1.000	1.000
11000111 11	Apple, sauce-babyfood	0.203000	1.000	1.000
11001290 11	Crabapple	0.203000	1.000	1.000
11002100 11	Loquat	0.123000	1.000	1.000
11002660 11	Pear	0.123000	1.000	1.000
11002661 11	Pear-babyfood	0.123000	1.000	1.000
11002670 11	Pear, dried	0.123000	6.250	1.000
11002670 11	Pear, juice	0.123000	1.000	1.000
	Pear, juice-babyfood	0.123000	1.000	1.000
11002681 11		0.123000	1.000	1.000
11003100 11	Quince	0.005000	1.000	1.000
14000030 14	Almond		1.000	1.000
14000031 14	Almond-babyfood	0.005000		1.000
14000040 14	Almond, oil	0.005000	1.000	
14000041 14	Almond, oil-babyfood	0.005000	1.000	1.000
14000590 14	Brazil nut	0.007000	1.000	1.000
14000680 14	Butternut	0.007000	1.000	1.000
14000810 14	Cashew	0.007000	1.000	1.000
14000920 14	Chestnut	0.005000	1.000	1.000
14001550 14	Filbert	0.007000	1.000	1.000
14001560 14	Filbert, oil	0.007000	1.000	1.000
14001850 14	Hickory nut	0.007000	1.000	1.000
14002130 14	Macadamia nut	0.007000	1.000	1.000
14002690 14	Pecan	0.007000	1.000	1.000
14002820 14	Pistachio	0.005000	1.000	1.000
14003910 14	Walnut	0.007000	1.000	1.000
15000250 15	Barley, pearled barley	0.100000	1.000	1.000
15000250 15	Barley, pearled barley-babyfood	0.100000	1.000	1.000
15000251 15	Barley, flour	0.100000	1.000	1.000
15000260 15	Barley, flour-babyfood	0.100000	1.000	1.000
	Barley, bran	0.100000	1.000	1.000
15000270 15		0.010000	1.000	1.000
15001270 15	Corn, sweet Corn, sweet-babyfood	0.010000	1.000	1.000
15001271 15	Corn, sweet-babylood		1.000	1.000
15003280 15	Rye, grain	0.100000 0.100000	1.000	1.000
15003290 15	Rye, flour		1.000	1.000
15004010 15	Wheat, grain	0.100000		
15004011 15	Wheat, grain-babyfood	0.100000	1.000	1.000
15004020 15	Wheat, flour	0.100000	1.000	1.000
15004021 15	Wheat, flour-babyfood	0.100000	1.000	1.000
15004030 15	Wheat, germ	0.100000	1.000	1.000
15004040 15	Wheat, bran	0.100000	1.000	1.000

Dietary Exposure Assessment

DP#: 367383

Attachment 4: DEEM-FCIDTM Chronic Exposure Estimates

U.S. Environmental Protection Agency

DEEM-FCID Chronic analysis for DIFENOCONAZOLE

Ver. 2.00 (1994-98 data)

Residue file name: C:\Documents and Settings\tmorton\My Documents\MyFiles\Triazole Assessment for

Difenoconazole\difenoconazole_chronic-08-04AverageFT.R98

Adjustment factor #2 NOT used.

Residue file dated: 08-04-2009/09:25:01/8

Analysis Date 08-04-2009/09:25:35 Residue fil Reference dose (RfD, Chronic) = .01 mg/kg bw/day

Total exposure by population subgroup

Total Exposure

Population Subgroup	mg/kg body wt/day	Percent of Rfd
U.S. Population (total)	0.001694	16.9%
U.S. Population (spring season)	0.001674	16.7%
U.S. Population (summer season)	0.001745	17.5%
U.S. Population (autumn season)	0.001663	16.6%
U.S. Population (winter season)	0.001695	16.9%
Northeast region	0.001637	16.4%
Midwest region	0.001655	16.5%
Southern region	0.001596	16.0%
Western region	0.001943	19.4%
Hispanics	0.001618	16.2%
Non-hispanic whites	0.001612	16.1%
Non-hispanic blacks	0.001984	19.8%
Non-hisp/non-white/non-black	0.002404	24.0%
All infants (< 1 year)	0.002403	24.0%
Nursing infants	0.001269	12.7%
Non-nursing infants	0.002833	28.3%
Children 1-6 yrs	0.003727	37. 3 %
Children 7-12 yrs	0.001922	19.2%
Females 13-19 (not preg or nursing)	0.001220	12.2%
Females 20+ (not preg or nursing)	0.001479	14.8%
Females 13-50 yrs	0.001461	14.6%
Females 13+ (preg/not nursing)	0.001272	12.7%
Females 13+ (nursing)	0.001503	15.0%
Males 13-19 yrs	0.001494	14.9%
Males 20+ yrs	0.001372	13.7%
Seniors 55+	0.001564	15.6%
Children 1-2 yrs	0.004440	44.4%
Children 3-5 yrs	0.003593	35.9%
Children 6-12 yrs	0.002041	20.4%
Youth 13-19 yrs	0.001360	13.6%
Adults 20-49 yrs	0.001362	13.6%
Adults 50+ yrs	0.001538	15.4%
Females 13-49 yrs	0.001389	13.9%



R178418

Chemical Name: Difenoconazole

PC Code: 128847

HED File Code: 14000 Risk Reviews Memo Date: 9/22/2009

File ID: 00000000

Accession #: 000-00-0132

HED Records Reference Center 10/28/2009